

ADDENDUM NO. 2

Solicitation No: Invitation To Bid (ITB) No. 2019-00021

Solicitation Title: 2019 LMIG Road Resurfacing Project

ATTENTION ALL POTENTIAL BIDDERS:
MUST ADDENDUM. READ CAREFULLY AND FOLLOW ALL INSTRUCTIONS.

- This addendum forms a part of the contract documents, modifies the original bidding documents and shall be as binding as if contained therein.
- Return Addendum with Bid Submittal. Failure to do so may subject the Bidder to disqualification.
- Return Completed Revised Bid Pricing Sheets with Bid Submittal.

TO ALL PROSPECTIVE BIDDERS, PLEASE NOTE THE FOLLOWING CHANGES AND CLARIFICATIONS:

Words in ~~striketrough~~ type are deletions from existing text. Words in **bold, underlined** type are additions to existing text.

1. The ITB Due Date is 3:00 noon EDT p.m. on Wednesday, **August 14, 2019**.

TO ALL PROSPECTIVE BIDDERS, PLEASE NOTE THE FOLLOWING CHANGES AND CLARIFICATIONS:

Words in ~~striketrough~~ type are deletions from existing text. Words in **bold, underlined** type are additions to existing text.

1. Clarification: Bidders are to delete the following:
 - a) ~~“Instruction to Bidders; Article 4—Qualifications of Bidders and Project Requirements; Paragraph 4.02~~
 - b) ~~Item C.—Contractor’s License No.”~~ This requirement is covered by “Instruction to Bidders”

2. **New “Bid Form” amended for ADDENDUM NO. 2 This Bid Form has been amended to add “Line Item No. 3 – 1” Deep Asphalt Surface Milling”.** Please see attached revised Bid Forms. Please delete Bid Forms in Section III on pages 17-26.

“Article 7 – Attachments to this Bid” has been amended to remove the requirement for a “Contractor’s License Number”.

ADDITIONS / CLARIFICATIONS / CORRECTIONS

The following written question(s) and/or requests for clarification were received by the Contracts and Procurement Department prior to the deadline submission of questions and are hereby provided and answered below:

Q1. Can we use industry standard manhole risers to adjust the manholes to grade?

A1. Steel manhole risers are approved for this project.

Q2. Where can I get a list of the actual streets?

A2. A complete list of the streets is located in the Supplemental Conditions in the Contract Documents and a project map is also included in the Contract Documents.

Q3. Of section III, item 26, it states that you are looking to replace 3 rubber speed bumps With 12” wide bumps. Can you tell me the width of the road so I can calculate how many Sections I would need to cover the width of the rd.

A3. “Roadtech – Easy Rider Speed Bump” or equivalent; End Caps are required and installation is per manufacturer’s recommendations. Length varies, installation to be within 6” of the edge of road or concrete gutter.

Q4. How many days are we given after the edge milling to pave the Rd back?

A4. Resurfacing is to begin within 72 hours. Correct signage is required prior to resurfacing

Q5. What will be the allowed work hours for this project?

A5. The City of Stockbridge has established the normal working hours for this project as 7:00 AM to 6:00 PM Mon. thru Fri. Work on weekends will be on an as needed basis and to be approved by the City.

Q6. Will the contractor be required to post mount the advance warning signs, or can these signs be placed on tripods?

A6. Tripod signage that meets MUTCO is acceptable.

Q7. Will the contractor be required to mill and pave into side roads?

A7. This is a case by case basis, but the majority of side roads will not be included.

Q8. Will the Contractor be required to pave into driveways, or can the contractor run out the spreader gate as they go by?

A8. Driveways turnouts will be paved a maximum of two feet to transition to the existing pavement.

Q9. What will be the required cover up time on the edge milling?

A9. Resurfacing is to begin within 72 hours. Correct signage is required prior to resurfacing.

Q10. Will the contractor be required to use an M.T.V. for placement of the 12.5mm surface?

A10. No.

Q11. Is Item No. 10 being measured by the centerline mile or by actual length of shoulder?

A11. Shoulder.

Q12. What depth is the city planning to place the Leveling?

A12. Leveling is as needed and not to exceed 1.5 inches.

Q13. Can the city provide a detail quantity list for the leveling?

A13. Not available for this project.

Q14. Will the City of Stockbridge handle the testing for this project?

A14. City will be responsible for all required testing.



Where Community Connects

City of Stockbridge Purchasing Division

City of Stockbridge City Hall
4640 North Henry Boulevard
Stockbridge, Ga 30281

Q15. Is there a spec for Item No. 26 - 3 Traffic Speed Bump (Manufacture, Length, etc.)?

A15. "Roadtech – Easy Rider Speed Bump" or equivalent; End Caps are required and installation is per manufacturer's recommendations. Length varies, installation to be within 6" of the edge of road or concrete gutter.

Q16. Item No. 10 states that the Shoulder Building will be 4' minimum. Shouldn't the description be 4' maximum?

A16. Shoulder work is to be installed to a maximum width of 4 feet.

The City of Stockbridge's website and the State of Georgia Registry is the official location for the posting of all solicitation addenda and contract award results. It is the obligation of each Prospective Provider to frequently monitor the City's website in order to obtain complete and timely information. The City's website is located at <https://www.cityofstockbridge.com/default.aspx>

All other terms, conditions, and specifications of the solicitation remain unchanged.

Name of Company / Firm / Organization

Printed Name of Authorized Rep. / Title

Signature of Authorized Representative / Date

SECTION III

BID FORM

REVISED: ADDENDUM NO. 2

CITY OF STOCKBRIDGE, GEORGIA

2019 LMIG PROGRAM

ITB NO: 2019-00021



August 14, 2019 - 3:00 PM

SECTION III

TABLE OF CONTENTS

	Page
Article 1 – Bid Recipient	1
Article 2 – Bidder’s Acknowledgements	1
Article 3 – Bidder’s Representations.....	1
Article 4 – Bidder’s Certification	2
Article 5 – Basis of Bid.....	3
Article 6 – Time of Completion	5
Article 7 – Attachments to This Bid.....	6
Article 8 – Defined Terms	6
Article 9 – Bid Submittal	6

SECTION III

ARTICLE 1 – BID RECIPIENT

1.01 This Bid is submitted to:

City of Stockbridge, Georgia

1.02 The undersigned Bidder proposes and agrees, if this Bid is accepted, to enter into an Agreement with Owner in the form included in the Bidding Documents to perform all Work as specified or indicated in the Bidding Documents for the prices and within the times indicated in this Bid and in accordance with the other terms and conditions of the Bidding Documents.

ARTICLE 2 – BIDDER’S ACKNOWLEDGEMENTS

2.01 Bidder accepts all of the terms and conditions of the Instructions to Bidders, including without limitation those dealing with the disposition of Bid security. This Bid will remain subject to acceptance for 60 days after the Bid opening, or for such longer period of time that Bidder may agree to in writing upon request of Owner.

ARTICLE 3 – BIDDER’S REPRESENTATIONS

3.01 In submitting this Bid, Bidder represents that:

A. Bidder has examined and carefully studied the Bidding Documents, other related data identified in the Bidding Documents, and the following Addenda, receipt of which is hereby acknowledged:

<u>Addendum No.</u>	<u>Addendum Date</u>
<u>1</u>	<u>JULY 9, 2019</u>
<u>2</u>	<u>JULY 29, 2019</u>

B. Bidder has visited the Site and become familiar with and is satisfied as to the general, local, and Site conditions that may affect cost, progress, and performance of the Work.

C. Bidder is familiar with and is satisfied as to all Laws and Regulations that may affect cost, progress, and performance of the Work.

D. Bidder has considered the information known to Bidder; information commonly known to contractors doing business in the locality of the Site; information and observations obtained from visits to the Site; the Bidding Documents; and the Site-related reports and drawings identified in the Bidding Documents, with respect to the effect of such information, observations, and documents on (1) the cost, progress, and performance of the Work; (2) the means, methods, techniques, sequences, and procedures of construction to be employed by Bidder, including applying the specific means, methods, techniques, sequences, and procedures of construction expressly

SECTION III

required by the Bidding Documents; and (3) Bidder's safety precautions and programs.

- E. Based on the information and observations referred to in Paragraph 3.01.D above, Bidder does not consider that further examinations, investigations, explorations, tests, studies, or data are necessary for the determination of this Bid for performance of the Work at the price(s) bid and within the times required, and in accordance with the other terms and conditions of the Bidding Documents.
- F. Bidder is aware of the general nature of work to be performed by Owner and others at the Site that relates to the Work as indicated in the Bidding Documents.
- G. Bidder has given Engineer written notice of all conflicts, errors, ambiguities, or discrepancies that Bidder has discovered in the Bidding Documents, and the written resolution thereof by Engineer is acceptable to Bidder.
- 1. The Bidding Documents are generally sufficient to indicate and convey understanding of all terms and conditions for the performance of the Work for which this Bid is submitted.

ARTICLE 4 – BIDDER'S CERTIFICATION

4.01 Bidder certifies that:

- A. This Bid is genuine and not made in the interest of or on behalf of any undisclosed individual or entity and is not submitted in conformity with any collusive agreement or rules of any group, association, organization, or corporation;
- B. Bidder has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid;
- C. Bidder has not solicited or induced any individual or entity to refrain from bidding; and
- D. Bidder has not engaged in corrupt, fraudulent, collusive, or coercive practices in competing for the Contract. For the purposes of this Paragraph 4.01.D:
 - 1. "corrupt practice" means the offering, giving, receiving, or soliciting of any thing of value likely to influence the action of a public official in the bidding process;
 - 2. "fraudulent practice" means an intentional misrepresentation of facts made (a) to influence the bidding process to the detriment of Owner, (b) to establish bid prices at artificial non-competitive levels, or (c) to deprive Owner of the benefits of free and open competition;
 - 3. "collusive practice" means a scheme or arrangement between two or more Bidders, with or without the knowledge of Owner, a purpose of which is to establish bid prices at artificial, non-competitive levels; and

SECTION III

4. “coercive practice” means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the bidding process or affect the execution of the Contract.

ARTICLE 5 – BASIS OF BID

5.01 Bidder will complete the Work in accordance with the Contract Documents for the following unit price(s) :

<u>ITEM NO.:</u>	<u>ESTIMATED QUANTITY</u>	<u>UNITS</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
1.	1	L.S	MOBILIZATION AND TRAFFIC CONTROL	\$_____	\$_____
2.	45,600	L.F.	6' WIDE EDGE MILLING, 1 ½"-2 ½" DEPTH @ EDGE OF PAVEMENT, FEATHERED TO 0"	\$_____	\$_____
3.	4,000	S.Y.	1" DEEP ASPHALT SURFACE MILLING	\$_____	\$_____
4.	2,000	L.F.	ASPHALT JOINT AND CRACK SEALANT INSTALLED INCLUDING CLEANING AND REMOVAL OF VEGETATION	\$_____	\$_____
5.	200	TON	3"-4" RECYCLED ASPHALTIC CONC. PATCH -19.0 MM SUPERPAVE INCL. BITUMINOUS MATERIAL & H LIME	\$_____	\$_____
6.	1,250	TON	1" RECYCLED ASPHALTIC CONC. PERMA-FLEX OR EQUIVALENT	\$_____	\$_____
7.	6,600	TON	1.5" RECYCLED ASPHALTIC CONC. - 12.5 MM SUPERPAVE INCL. BITUMINOUS MATERIAL & H LIME	\$_____	\$_____
8.	25	TON	RECYCLED ASPHALTIC CONC. LEVELING INCL. BITUMINOUS MATERIAL & H LIME	\$_____	\$_____
9.	4,400	GAL	BITUMINOUS TACK COAT	\$_____	\$_____
10.	4	EA.	REPLACEMENT/REPAIR OF TRAFFIC SIGNAL DETECTOR LOOP (COMPLETE INCLUDING SAWCUT, WIRE, SEALANT, ETC.)	\$_____	\$_____

SECTION III

11.	1,500	L.F.	COMPACTED BACKFILL AGAINST EDGE OF PAVEMENT 4' WIDE MINIMUM ON SHOULDER AND INSTALL PERMANENT GRASSING	\$ _____	\$ _____
12.	105	EA.	ADJUST MANHOLE FRAME AND COVER TO FINISHED GRADE	\$ _____	\$ _____
13.	1	EA.	ADJUST OVERSIZE AT&T MANHOLE FRAME AND COVER TO FINISHED GRADE	\$ _____	\$ _____
14.	14	EA.	ADJUST WATER VALVE BOX AND COVER TO FINISHED GRADE	\$ _____	\$ _____
15.	1	EA.	ADJUST STORMWATER DROP INLET GRATE TO FINISHED GRADE	\$ _____	\$ _____
16.	550	L.F.	GDOT THERMOPLASTIC STOP BAR, 24" WIDE WHITE	\$ _____	\$ _____
17.	150	L.F.	GDOT THERMOPLASTIC 7' WIDE CROSSWALK STRIPING COMPLETE	\$ _____	\$ _____
18.	15,000	L.F.	GDOT THERMOPLASTIC SOLID LANE EDGE STRIPING, 5" WIDE WHITE	\$ _____	\$ _____
19.	8,000	L.F.	GDOT THERMOPLASTIC TRAFFIC LANE SKIP STRIPING, 5" WIDE WHITE	\$ _____	\$ _____
20.	15,000	L.F.	GDOT THERMOPLASTIC SOLID CENTERLINE 5" WIDE YELLOW	\$ _____	\$ _____
21.	2,000	L.F.	GDOT THERMOPLASTIC SOLID HATCH LINE 8" WIDE YELLOW	\$ _____	\$ _____
22.	1,500	L.F.	GDOT THERMOPLASTIC SOLID HATCH LINE 8" WIDE WHITE	\$ _____	\$ _____
23.	2	EA.	GDOT THERMOPLASTIC SOLID WHITE R/R "X-ING" SYMBOL	\$ _____	\$ _____
24.	4	EA.	GDOT THERMOPLASTIC SOLID WHITE RIGHT TURN ARROW	\$ _____	\$ _____
25.	4	EA.	GDOT THERMOPLASTIC SOLID WHITE "LEFT" TURN ARROW	\$ _____	\$ _____

SECTION III

26.	2	EA.	GDOT THERMOPLASTIC SOLID WHITE "STRAIGHT" ARROW	\$_____	\$_____
27.	3	EA.	REMOVE EXISTING TRAFFIC SPEED BUMP AND REPLACE WITH 12" WIDE RECYCLED SOLID RUBBER SPEED BUMP (BLACK/YELLOW) AND END CAPS INSTALLED IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS FULL WIDTH OF ROADWAY	\$_____	\$_____
28.	1	L.S.	PROJECT CONTINGENCY ALLOWANCE (FOR USE BY CITY ONLY)	\$ <u>50,000.00</u>	\$ <u>50,000.00</u>

Total Base Bid in Words:

_____ Dollars

In Numbers: \$ _____

Unit Prices have been computed in accordance with Paragraph 11.03.B of the General Conditions.

Bidder acknowledges that estimated quantities are not guaranteed, and are solely for the purpose of comparison of Bids, and final payment for all unit price Bid items will be based on actual quantities, determined as provided in the Contract Documents.

Unit Prices have been computed in accordance with Paragraph 11.03.B of the General Conditions.

Bidder acknowledges that estimated quantities are not guaranteed, and are solely for the purpose of comparison of Bids, and final payment for all unit price Bid items will be based on actual quantities, determined as provided in the Contract Documents.

ARTICLE 6 – TIME OF COMPLETION

6.01 Bidder agrees that the Work will be substantially complete within **75** calendar days after the date when the Contract Times commence to run as provided in Paragraph 2.03 of the General Conditions, and will be completed and ready for final payment in accordance with Paragraph 14.07 of the General Conditions within **90** calendar days after the date when the Contract Times commence to run.

SECTION III

6.02 Bidder accepts the provisions of the Agreement as to liquidated damages.

ARTICLE 7 – ATTACHMENTS TO THIS BID

7.01 The following documents are submitted with and made a condition of this Bid:

- A. Required Bid security;
- B. List of Proposed Subcontractors (if known);
- C. List of Proposed Suppliers (if known);
- D. List of 5 Project References;
- E. Required Bidder Qualification Statement with Supporting Data (Business License, Corporate Resolution to Bid, Financial Statement, Current Workload);
- F. GDOT Prequalification Certificate;
- G. Certificate of Insurance (City of Stockbridge listed as Certificate Holder);
- H. Contractor Affidavit and Agreement;
- I. Subcontractor Affidavit and Agreement (if known);

ARTICLE 8 – DEFINED TERMS

8.01 The terms used in this Bid with initial capital letters have the meanings stated in the Instructions to Bidders, the General Conditions, and the Supplementary Conditions.

ARTICLE 9 – BID SUBMITTAL

9.01 This Bid is submitted by:

If Bidder is:

An Individual

Name (typed or printed): _____

By: _____
(Individual’s signature)

Doing business as: _____

A Partnership

Partnership Name: _____

SECTION III

By: _____
(Signature of general partner -- attach evidence of authority to sign)

Name (typed or printed): _____

A Corporation

Corporation Name: _____
(SEAL)

State of Incorporation: _____
Type (General Business, Professional, Service, Limited Liability): _____

By: _____
(Signature -- attach evidence of authority to sign)

Name (typed or printed): _____

Title: _____
(CORPORATE SEAL)

Attest _____

Date of Qualification to do business in _____ is
____/____/____.

A Joint Venture

Name of Joint Venture: _____

First Joint Venturer Name: _____
(SEAL)

By: _____
(Signature of first joint venture partner -- attach evidence of authority to sign)

Name (typed or printed): _____

Title: _____

SECTION III

Second Joint Venturer Name: _____
_____(SEAL)

By: _____
(Signature of second joint venture partner -- attach evidence of
authority to sign)

Name (typed or printed): _____

Title: _____

(Each joint venturer must sign. The manner of signing for each individual,
partnership, and corporation that is a party to the joint venture should be in the
manner indicated above.)

Bidder's Business Address _____

Phone No. _____ Fax No. _____

E-mail _____

SUBMITTED on _____, 20____.

State Contractor License No. _____.